



## OLIVE 01

Airy and comfortable professional shoe


Upper	Synthetic Leather
Lining	Coolmax Mesh
Footbed	Coolmax Mesh
Outsole	Phylon, Rubber
Safety standard	O1 / ESD, SRC, FO
Size range	EU 35-44 / UK 3.0-10.0 US 5.5-12.0 / CM 23.0-28.5
Sample weight	0.235 kg
Norms	EN ISO 20347:2012 ASTM F2892:2018



BLK



WHT



### Oxygrip / SJ Grip

Rubber outsoles with Oxytraction® technology provide excellent traction on both dry and wet floors and meet SRC (SRA+ SRB) standards.



### Coolmax® lining

Coolmax® technology was originally developed for athletes. The material transports moisture and sweat, so that the body stays dry. We found it extremely suitable for people who work hard for hours every day too.



### Electrostatic Discharge (ESD)

ESD provides the controlled discharge of electrostatic energy that can damage electronic components and avoids risks of ignition resulting from electrostatic charges. Volume resistance between 100 KiloOhm and 35 MegaOhm.



### SRC slip resistance

Slip resistant soles are one of the most important features of safety and occupational footwear. SRC slip resistant soles pass both SRA and SRB slip resistant tests, they are tested on both steel and ceramic surfaces.

**Industries:**

Catering, Food & beverages, Medical, Uniform

**Environments:**

Extreme slippery surfaces, Dry environment

**Maintenance instructions:**

To extend the life of your shoes, we recommend to clean them regularly and to protect them with adequate products. Do not dry your shoes on a radiator, nor nearby a heat source.

Sample size: 37

Our shoes are constantly evolving, the technical data above may change. All product names and brand Safety Jogger, are registered and may not be used or reproduced in any format, without written consent from us.



**Solutions for every workplace**

INDUSTRIAL   PROFESSIONAL   TACTICAL   TIGER GRIP

[www.pls-shop.co.uk](http://www.pls-shop.co.uk)



**ENGINEERED  
IN EUROPE**

[www.safetyjogger.com](http://www.safetyjogger.com)